

Designation: awrhhi07a-06 8/2/23 Last updated:

Holzforschung Austria Source:

Editor: HFA, SP

## External wall - awrhhi07a-06

external wall, timber frame construction, ventilated, with dry lining, with cladding, other surface

### Performance rating


**REI** from inside 60 Fire protection performance RFI from outside 30 maximum ceiling height = 3 m; maximum load  $E_{d,fi}$  = 19,2 kN/m Classified by HFA

Thermal performance	U Diffusion	0.13 W/(m <sup>2</sup> K) suitable
Calculated by HFA		
Acoustic performance	R <sub>w</sub> (C;C <sub>tr</sub> ) L <sub>n,w</sub> (C <sub>I</sub> )	52(-3;-10) dB

Battens for the ventilation space screwed onto the structural timber together with vertical battens for the dry lining screwed directly onto the ledger beams will result in Rw(C;Ctr)=45(-1;-5) dB Assessed by MA39

Mass per unit area  $48.50~\textrm{kg/m}^{2}$ 

Calculation based on GF



Note: e=625

## Register of building materials used for this application, cross-section (from outside to inside, dimensions in mm)

	Thickness	Building material	Thermal performance				Reaction to fire
			λ	μ min – max	ρ	С	EN
Α	24.0	larch wood external wall cladding	0.155	150	600	1.600	D
В	24.0	spruce wood battens - ventilation	0.120	50	450	1.600	D
С	24.0	spruce wood cross battens	0.120	50	450	1.600	D
D		wind barrier			1000		
E	60.0	wood-fibre insulation board [045; 140]	0.045	2 - 5	140	2.100	E
F	240.0	construction timber (60/; e=*)	0.120	50	450	1.600	D
G	240.0	mineral wool [040; ≥16; <1000°C]	0.040	1	16	1.030	A1
Н	15.0	OSB (sealed with airtight tape)	0.130	200	600	1.700	D
I	80.0	spruce wood cross battens (a=400) or battens offset)	0.120	50	450	1.600	D
J	80.0	mineral wool [040; ≥16; <1000°C]	0.040	1	16	1.030	A1
K	12.5	gypsum plaster board type DF or	0.250	10	800	1.050	A2
K	12.5	gypsum fibre board	0.320	21	1000	1.100	A2

# Sustainability rating (per m<sup>2</sup>) Database ecoinvent 32.6 OI3<sub>Kon</sub> Calculated by HFA



Designation: awrhhi07a-06 Last updated:

8/2/23 Holzforschung Austria Source:

HFA, SP Editor:

### Details of sustainability rating

#### Database ecoinvent

Lifecycle	GWP	AP	EP	ODP	POCP	
(Phases)	[kg CO <sub>2</sub> -e.]	[kg SO <sub>2</sub> -e.]	[kg PO <sub>4</sub> -e.]	[kg R11-e.]	[kg Ethen-e.]	
A1 - A3		0.164	0.072	2,88E-6	0.009	
Lifecycle	PERE	PERM	PERT	PENRE	PENRM	PENRT
(Phases)	[MJ]	[MJ]	[MJ]	[MJ]	[MJ]	[MJ]
A1 - A3	96.171	754.765	850.936	520.041	25.028	545.069