

Designation: awrhhi08a-00 8/2/23 Last updated:

Holzforschung Austria Source:

Editor: HFA, SP

External wall - awrhhi08a-00

external wall, timber frame construction, ventilated, with dry lining, with cladding, other surface

Performance rating


REI from inside 60 Fire protection performance RFI from outside 30 maximum ceiling height = 3 m; maximum load $E_{d,fi}$ = 19,2 kN/m Classified by HFA

Thermal performance	U Diffusion	0.21 W/(m ² K) suitable	
Calculated by HFA			
Acoustic performance	R _w (C;C _{tr}) L _{n,w} (C _l)	50(-3;-10) dB	

Battens for the ventilation space screwed onto the structural timber together with vertical battens for the dry lining screwed directly onto the ledger beams will result in Rw(C;Ctr)=43(-1;-5) dB Assessed by MA39

Mass per unit area 42.90 kg/m^2

Calculation based on GF



Note: e=625

Register of building materials used for this application, cross-section (from outside to inside, dimensions in mm)

	Thickness	Building material	Thermal per	Thermal performance			Reaction to fire	
		λ	μ min – max	ρ	С	EN		
Α	24.0	larch wood external wall cladding	0.155	150	600	1.600	D	
В	30.0	spruce wood battens offset (30/50; 30/80) - ventilation	0.120	50	450	1.600	D	
С		wind barrier			1000			
D	12.5	gypsum fibre board	0.320	21	1000	1.100	A2	
E	160.0	construction timber (60/; e=*)	0.120	50	450	1.600	D	
F	160.0	mineral wool [040; ≥16; <1000°C]	0.040	1	16	1.030	A1	
G	15.0	OSB (sealed with airtight tape)	0.130	200	600	1.700	D	
Н	40.0	spruce wood cross battens (a=400) or battens offset)	0.120	50	450	1.600	D	
I	40.0	mineral wool [040; ≥16; <1000°C] or air layer in type 02	0.040	1	16	1.030	A1	
J	12.5	gypsum fibre board or	0.320	21	1000	1.100	A2	
J	12.5	gypsum plaster board type DF	0.250	10	800	1.050	A2	

Sustainability rating (per m²)

Database ecoinvent 24.0 OI3_{Kon}

Calculated by HFA



Designation: awrhhi08a-00 Last updated:

8/2/23 Holzforschung Austria Source:

HFA, SP Editor:

Details of sustainability rating

Database ecoinvent

Lifecycle	GWP	AP	EP	ODP	POCP	
(Phases)	[kg CO ₂ -e.]	[kg SO ₂ -e.]	[kg PO ₄ -e.]	[kg R11-e.]	[kg Ethen-e.]	
A1 - A3		0.118	0.053	2,28E-6	0.007	
Lifecycle	PERE	PERM	PERT	PENRE	PENRM	PENRT
(Phases)	[MJ]	[MJ]	[MJ]	[MJ]	[MJ]	[MJ]
A1 - A3	88.851	566.554	655.406	398.941	18.986	417.927