

Designation: awrhhi08b-05 8/2/23 Last updated:

Holzforschung Austria Source:

Editor: HFA, SP

External wall - awrhhi08b-05

external wall, timber frame construction, ventilated, with dry lining, with cladding, other surface


Performance rating

REI from inside 60 Fire protection performance REI from outside 60 maximum ceiling height = 3 m; maximum load $E_{d,fi}$ = 19,2 kN/m Classified by HFA

Thermal performance	U Diffusion	0.16 W/(m ² K) suitable
Calculated by HFA		
Acoustic performance	R _w (C;C _{tr}) L _{n,w} (C _l)	53(-2;-8) dB
Acoustic performance Battens for the ventilation	L _{n,w} (C _l)	, , ,

vertical battens for the dry lining screwed directly onto the ledger beams will result in Rw(C;Ctr)=46(-1;-5) dB Assessed by MA39

Mass per unit area 63.50 kg/m^2 Calculation based on GF



Note: e=625

Register of building materials used for this application, cross-section (from outside to inside, dimensions in mm)

	Thickness	Building material	Thermal per	Thermal performance			
		λ	μ min – max	ρ	С	EN	
Α	24.0	larch wood external wall cladding	0.155	150	600	1.600	D
В	30.0	spruce wood battens offset (30/50; 30/80) - ventilation	0.120	50	450	1.600	D
С		wind barrier			1000		
D	20.0	gypsum fibre board (2x10 mm)	0.320	21	1000	1.100	A2
E	200.0	mineral wool [040; ≥16; <1000°C]	0.040	1	16	1.030	A1
F	200.0	construction timber (60; e=*)	0.120	50	450	1.600	D
G	15.0	OSB (sealed with airtight tape)	0.130	200	600	1.700	D
Н	80.0	spruce wood cross battens (a=400) or battens offset)	0.120	50	450	1.600	D
ı	80.0	mineral wool [040; ≥16; <1000°C] or air layer in type 02	0.040	1	16	1.030	A1
J	15.0	gypsum fibre board or	0.320	21	1000	1.100	A2
J	15.0	gypsum plaster board type DF	0.250	10	800	1.050	A2

Sustainability rating (per m²)

Database ecoinvent 31.9 OI3_{Kon}

Calculated by HFA



Designation: awrhhi08b-05 Last updated:

8/2/23 Holzforschung Austria Source:

HFA, SP Editor:

Details of sustainability rating

Database ecoinvent

Lifecycle	GWP	AP	EP	ODP	POCP	
(Phases)	[kg CO ₂ -e.]	[kg SO ₂ -e.]	[kg PO ₄ -e.]	[kg R11-e.]	[kg Ethen-e.]	
A1 - A3		0.150	0.067	3,01E-6	0.009	
Lifecycle	PERE	PERM	PERT	PENRE	PENRM	PENRT
Lifecycle (Phases)	PERE [MJ]	PERM [MJ]	PERT [MJ]	PENRE [MJ]	PENRM [MJ]	PENRT [MJ]