

Designation: awrhhi09a-04 Last updated: 8/2/23

Source: Holzforschung Austria


Editor: HFA, PLB

External wall - awrhhi09a-04

external wall, timber frame construction, ventilated, with dry lining, with cladding, wooden surface

Performance rating

Thermal performance	U Diffusion	0.15 W/(m ² K) suitable
Calculated by HFA		
Acoustic performance	R _w (C;C _{tr}) L _{n,w} (C _I)	46(-2;-6) dB
with closed wooden facac	le R _w von 50 (-3; -9)	
Assessed by TGM		
Mass per unit area	m	66.20 kg/m²



Register of building materials used for this application, cross-section (from outside to inside, dimensions in mm)

	Thickness	Building material	Thermal pe	Reaction to fire			
			λ	μ min – max	ρ	С	EN
Α	19.0	larch wood external wall cladding (open) vertical	0.155	150	600	1.600	D
В	30.0	larch wood - cross battens (30/50; 30/80) - ventilation	0.155	150	600	1.600	D
С		wind barrier			1000		
D	15.0	fibreboard (MDF)	0.140	11	600	1.700	D
E	240.0	construction timber (60/; e=625)	0.120	50	450	1.600	D
F	240.0	Cellulose fibre [040; 50]	0.040	1	50	2.000	E
G	15.0	OSB	0.130	200	600	1.700	D
Н	40.0	spruce wood cross battens (a=400) or battens offset)	0.120	50	450	1.600	D
1	40.0	Cellulose fibre [040; 50]	0.040	1	50	2.000	E
J	19.0	planking tongue and groove	0.120	50	450	1.600	D

Sustainability rating (per m²)

Database ecoinvent

OI3_{Kon} 21.8

Calculated by IBO



Designation: awrhhi09a-04 8/2/23 Holzforschung Austria Last updated:

Source:

HFA, PLB Editor:

Details of sustainability rating

Database ecoinvent

Lifecycle	GWP	AP	EP	ODP	POCP	
(Phases)	[kg CO ₂ -e.]	[kg SO ₂ -e.]	[kg PO ₄ -e.]	[kg R11-e.]	[kg Ethen-e.]	
A1 - A3		0.156	0.059	1,88E-6	0.008	
Lifecycle	PERE	PERM	PERT	PENRE	PENRM	PENRT
(Phases)	[MJ]	[MJ]	[MJ]	[MJ]	[MJ]	[MJ]
A1 - A3	103.466	1035.703	1139.168	398.957	38.974	437.931