

Designation: awrhho04b-04 8/2/23 Last updated:

Holzforschung Austria Source:

Editor: HFA, SP

External wall - awrhho04b-04

external wall, timber frame construction, ventilated, without dry lining, with cladding, other surface

Performance rating

REI from inside 60 Fire protection performance RFI from outside 60 maximum ceiling height = 3 m; maximum load $E_{d,fi}$ = 50,0 kN/m

Classified by MA39

Classified by HFA


Thermal performance	U Diffusion	0.25 W/(m ² K) suitable	
Acoustic performance	R _w (C;C _{tr}) L _{n.w} (C _l)	49(-2;-7) dB	

Battens for the ventilation space screwed onto the structural timber result in an $\,$ Rw(C;Ctr)=45(-1;-6) dB

Assessed by MA39

Mass per unit area 55.30 kg/m^2

Calculation based on GF



Register of building materials used for this application, cross-section (from outside to inside, dimensions in mm)

	Thickness	Building material	Thermal per	Thermal performance			
			λ	μ min – max	ρ	С	EN
Α	24.0	larch wood external wall cladding	0.155	150	600	1.600	D
В	30.0	spruce wood battens offset (30/50; 30/80) - ventilation	0.120	50	450	1.600	D
С		wind barrier			1000		
D	25.0	gypsum fibre board (2x mm)	0.320	21	1000	1.100	A2
E	160.0	construction timber (60/; e=625)	0.120	50	450	1.600	D
F	160.0	mineral wool [035; 50; <1000°C]	0.035	1	50	1.030	A1
G		vapour barrier sd≥ 2m			1000		
Н	25.0	gypsum fibre board (2x mm) or	0.320	21	1000	1.100	A2
Н	25.0	gypsum plaster board type DF (2x mm)	0.250	10	800	1.050	A2

Sustainability rating (per m²)

Database ecoinvent 013_{Kon} 42.9

Calculated by HFA



Designation: awrhho04b-04 8/2/23 Holzforschung Austria Last updated:

Source:

Editor: HFA, SP

Details of sustainability rating

Database ecoinvent

Lifecycle	GWP	AP	EP	ODP	POCP	
(Phases)	[kq CO ₂ -e.]	[kg SO ₂ -e.]	[kg PO ₄ -e.]	[kg R11-e.]	[kg Ethen-e.]	
A1 - A3		0.169	0.078	3,62E-6	0.026	
	I	1	ı	1 .	ı	ı
Lifecycle	PERE	PERM	PERT	PENRE	PENRM	PENRT
(Phases)	[MJ]	[MJ]	[MJ]	[MJ]	[MJ]	[MJ]
A1 - A3	109.909	362.661	472.570	612.864	10.862	623.726