

Designation: awropi03a-01 8/2/23 Last updated:

Holzforschung Austria Source:

Editor: HFA, SP

# External wall - awropi03a-01

external wall, timber frame construction, not ventilated, with dry lining, with rendering, other surface

## Performance rating

**REI** from inside 60 Fire protection performance RFI from outside 30 maximum ceiling height = 3 m; maximum load  $E_{d,fi}$  = 19,2 kN/m Classified by HFA


Thermal performance  Calculated by HFA	U Diffusion	$0.19 \text{ W/(m}^2\text{K)}$ suitable
Acoustic performance	R <sub>w</sub> (C;C <sub>tr</sub> )	44(-3;-6) dB
	L <sub>n,w</sub> (C <sub>l</sub> )	the stock and Carlow beat to an

vertical battens for the dry lining screwed onto the structural timber lead to an Rw(C;Ctr)=41(-1;-5) dB Assessed by MA39

Mass per unit area

Calculation based on gypsum plaster board type DF

 $48.30 \text{ kg/m}^2$ 



Note: e=625

## Register of building materials used for this application, cross-section (from outside to inside, dimensions in mm)

	Thickness	Building material	Thermal performance				Reaction to fire	
			λ	μ min – max	ρ	С	EN	
Α	4.0	plaster	1.000	10 - 35	2000	1.130	A1	
В	50.0	Polystyrene EPS-F [0,040]	0.040	20 - 50	17	1.450	E	
С	25.0	planking spruce wood	0.120	50	450	1.600	D	
D	120.0	construction timber (60/; e=*)	0.120	50	450	1.600	D	
Е	120.0	mineral wool [040; ≥16; <1000°C]	0.040	1	16	1.030	A1	
F	25.0	planking spruce wood	0.120	50	450	1.600	D	
G		vapour barrier sd≥ 16m			1000			
Н	40.0	spruce wood cross battens (a=400) or battens offset)	0.120	50	450	1.600	D	
Ι	40.0	mineral wool [040; ≥16; <1000°C] or air layer in type 02	0.040	1	16	1.030	A1	
J	12.5	gypsum plaster board type DF or	0.250	10	800	1.050	A2	
J	12.5	gypsum fibre board	0.320	21	1000	1.100	A2	

## Sustainability rating (per m<sup>2</sup>)

Database ecoinvent OI3<sub>Kon</sub> 20.3 Calculated by HFA



Designation: awropi03a-01 8/2/23 Holzforschung Austria Last updated:

Source:

HFA, SP Editor:

#### Details of sustainability rating

#### Database ecoinvent

Lifecycle	GWP	AP	EP	ODP	POCP	
(Phases)	[kg CO <sub>2</sub> -e.]	[kg SO <sub>2</sub> -e.]	[kg PO <sub>4</sub> -e.]	[kg R11-e.]	[kg Ethen-e.]	
A1 - A3		0.101	0.042	1,81E-6	0.027	
Lifecycle	PERE	PERM	PERT	PENRE	PENRM	PENRT
(Phases)	[MJ]	[MJ]	[MJ]	[MJ]	[MJ]	[MJ]
A1 - A3	95.113	544.732	639.846	334.071	36.048	370.119