

Designation: awropi06a-08 8/2/23 Last updated:

Holzforschung Austria Source:

Editor: HFA, SP

# External wall - awropi06a-08

external wall, timber frame construction, not ventilated, with dry lining, with rendering, other surface

### Performance rating


**REI** from inside 60 Fire protection performance RFI from outside 30 maximum ceiling height = 3 m; maximum load  $E_{d,fi}$  = 32,0 kN/m Classified by HFA

Thermal performance  Calculated by HFA	U Diffusion	0.17 W/(m <sup>2</sup> K) suitable
Acoustic performance	R <sub>w</sub> (C;C <sub>tr</sub> ) L <sub>n,w</sub> (C <sub>I</sub> )	45(-3;-6) dB

vertical battens for the dry lining screwed onto the structural timber lead to an Rw(C;Ctr)=42(-1;-5) dB Assessed by MA39/HFA

Mass per unit area  $51.60 \text{ kg/m}^2$ 

Calculation based on gypsum plaster board type DF



Note: e=625

# Register of building materials used for this application, cross-section (from outside to inside, dimensions in mm)

	Thickness	Building material	Thermal performance				Reaction to fire	
			λ	μ min – max	ρ	С	EN	
Α	4.0	plaster	1.000	10 - 35	2000	1.130	A1	
В	50.0	Polystyrene EPS-F [0,040]	0.040	20 - 50	17	1.450	E	
С	15.0	OSB	0.130	200	600	1.700	D	
D	160.0	construction timber (60/; e=625) (60/; e=*)	0.120	50	450	1.600	D	
Е	160.0	mineral wool [038; ≥33; ≥1000°C]	0.038	1	33	1.030	A1	
F	15.0	OSB	0.130	200	600	1.700	D	
G		vapour barrier sd≥ 23m			1000			
Н	40.0	spruce wood cross battens (a=400) resp. battens offset cross battens (a=400) or battens offset)	0.120	50	450	1.600	D	
1	40.0	mineral wool [038; ≥33; ≥1000°C] or air layer in type 02	0.038	1	33	1.030	A1	
J	12.5	gypsum plaster board type DF or	0.250	10	800	1.050	A2	
J	12.5	gypsum fibre board	0.320	21	1000	1.100	A2	

# Sustainability rating (per m<sup>2</sup>)

Database ecoinvent

OI3<sub>Kon</sub> 36.1

Calculated by HFA



Designation: awropi06a-08 8/2/23 Holzforschung Austria Last updated:

Source:

HFA, SP Editor:

# Details of sustainability rating

### Database ecoinvent

	0	1	1	1		1
Lifecycle	GWP	AP	EP	ODP	POCP	
(Phases)	[kg CO <sub>2</sub> -e.]	[kg SO <sub>2</sub> -e.]	[kg PO <sub>4</sub> -e.]	[kg R11-e.]	[kg Ethen-e.]	
A1 - A3		0.162	0.051	1,91E-6	0.058	
Lifecycle	PERE	PERM	PERT	PENRE	PENRM	PENRT
(Phases)	[MJ]	[MJ]	[MJ]	[MJ]	[MJ]	[MJ]
A1 - A3	91.080	430.453	521.533	438.580	57.383	495.963