

Designation: awropi17a-07 8/2/23 Last updated:

Holzforschung Austria Source:

Editor: HFA, SP

External wall - awropi17a-07

external wall, timber frame construction, not ventilated, with dry lining, with rendering, other surface

Performance rating


REI from inside 60 Fire protection performance RFI from outside 60 maximum ceiling height = 3 m; maximum load $E_{d,fi}$ = 32,0 kN/m Classified by HFA

Thermal performance	U Diffusion	0.16 W/(m ² K) suitable		
Calculated by HFA				
Acoustic performance	R _w (C;C _{tr}) L _{n,w} (C _I)	53(-3;-10) dB		

Vertical battens for the dry lining screwed onto the ledger beams lead to an Rw(C;Ctr)=50(-1;-7) dB

Assessed by MA39

Mass per unit area Calculation based on gypsum plaster board type DF



Note: e=625

Register of building materials used for this application, cross-section (from outside to inside, dimensions in mm)

 75.80 kg/m^2

	Thickness	Building material	Thermal per	Thermal performance				
			λ	μ min – max	ρ	С	EN	
4	7.0	plaster	1.000	10 - 35	2000	1.130	A1	
В	60.0	wood-fibre insulation board WF-PT [045; 180]	0.045	5 - 7	180	2.100	E	
С	12.0	OSB	0.130	200	600	1.700	D	
D	160.0	construction timber (60/; e=*)	0.120	50	450	1.600	D	
E	160.0	mineral wool [035; 50; <1000°C]	0.035	1	50	1.030	A1	
F	15.0	OSB	0.130	200	600	1.700	D	
G		vapour barrier sd≥ 10m			1000			
Н	40.0	spruce wood cross battens (a=400) or battens offset)	0.120	50	450	1.600	D	
ı	40.0	mineral wool [035; 50; <1000°C]	0.035	1	50	1.030	A1	
J	12.5	gypsum plaster board type DF or	0.250	10	800	1.050	A2	
J	12.5	gypsum fibre board	0.320	21	1000	1.100	A2	

Sustainability rating (per m²)

Calculated by HFA

Database ecoinvent OI3_{Kon} 63.0



Designation: awropi17a-07 8/2/23 Holzforschung Austria Last updated:

Source:

Editor: HFA, SP

Details of sustainability rating

Database ecoinvent

Lifecycle	GWP	AP	EP	ODP	POCP	
(Phases)	[kg CO ₂ -e.]	[kg SO ₂ -e.]	[kg PO ₄ -e.]	[kg R11-e.]	[kg Ethen-e.]	
A1 - A3		0.260	0.116	4,87E-6	0.037	
Lifecycle	PERE	PERM	PERT	PENRE	PENRM	PENRT
(Phases)	[MJ]	[MJ]	[MJ]	[MJ]	[MJ]	[MJ]
A1 - A3	132.887	676.459	809.346	878.090	49.566	927.656