

Designation: ddrtxn04a-03 Last updated: 8/2/23

Source: Holzforschung Austria

Editor: HFA, SP

Floor towards attic (uninhabitable) - ddrtxn04a-03

30

floor towards attic (uninhabitable), timber frame construction, not suspended, dry, other surface


Performance rating

Fire protection

 $\begin{array}{c} \textbf{performance} \\ \textbf{maximum span} = 5 \text{ m; maximum load } E_{d,fi} = 3,66 \text{ kN/m}^2 \\ \textbf{Classified by HFA} \\ \\ \textbf{Thermal performance} & \textbf{U} & 0.17 \text{ W/(m}^2 \text{K)} \\ \textbf{Diffusion} & \text{suitable} \\ \\ \textbf{Calculated by HFA} \\ \\ \textbf{Acoustic performance} & \textbf{R}_{\textbf{w}}(\textbf{C;C}_{\textbf{tr}}) & 43(-1;-5) \text{ dB} \\ \textbf{L}_{\textbf{n,w}}(\textbf{C_{\textbf{i}}}) & \\ \textbf{Mass per unit area} & \textbf{m} & 72.90 \text{ kg/m}^2 \\ \end{array}$

Calculation based on gypsum plaster board type DF

REI



Note: e=625

Register of building materials used for this application, cross-section (from outside to inside, dimensions in mm)

	Thickness	Building material	Thermal performance				Reaction to fire	
			λ	μ min – max	ρ	С	EN	
Α	50.0	Magnesite-bound lightweight wood wool board	0.120	2 - 5	700	1.400		
В	24.0	spruce wood cladding with spacing of cladding boards(24/100); $a=400$	0.120	50	450	1.600	D	
С	220.0	construction timber (80/; e=*)	0.120	50	450	1.600	D	
D	220.0	mineral wool [035; 50; <1000°C]	0.035	1	50	1.030	A1	
E		vapour barrier sd≥ 2m			1000			
F	24.0	spruce wood cladding with spacing of cladding boards(24/100); a=400	0.120	50	450	1.600	D	
G	12.5	gypsum plaster board type DF or	0.250	10	800	1.050	A2	
G	12.5	gypsum fibre board	0.320	21	1000	1.100	A2	

Sustainability rating (per m²) Database ecoinvent Ol3_{Kon} 46.1 Calculated by HFA



Designation: ddrtxn04a-03 8/2/23 Holzforschung Austria Last updated:

Source:

Editor: HFA, SP

Details of sustainability rating

Database ecoinvent

Lifecycle	GWP	AP	EP	ODP	POCP	
(Phases)	[kg CO ₂ -e.]	[kg SO ₂ -e.]	[kg PO ₄ -e.]	[kg R11-e.]	[kg Ethen-e.]	
A1 - A3		0.193	0.085	3,64E-6	0.029	
Lifecycle	PERE	PERM	PERT	PENRE	PENRM	PENRT
(Phases)	[MJ]	[MJ]	[MJ]	[MJ]	[MJ]	[MJ]
A1 - A3	90.845	447.344	538.188	635.478	4.459	639.937