

Designation: fdrhbi08b-02 Last updated: 8/2/23

Source: Holzforschung Austria

Editor: HFA, SP

Flat roof - fdrhbi08b-02

flat roof, timber frame construction, ventilated, with dry lining, not suspended, other surface


Performance rating


Calculation based on GF

Fire protection

performance maximum span = 5 m; maximum load $E_{d,fi}$ = 3,66 kN/m² Classified by HFA Thermal performance $0.17 \text{ W/(m}^2\text{K)}$ U Diffusion suitable Calculated by HFA Acoustic performance R_w (C;C_{tr}) 50(-2;-7) dB $L_{n,w}$ (C_{l}) Assessed by TGM Mass per unit area $48.90~\text{kg/m}^2$

60





Note: The design of the under-roof construction and of the counterbattens have to be specified according to the roof pitch and the national requirements.

Register of building materials used for this application, cross-section (from outside to inside, dimensions in mm)

	Thickness	Building material	Thermal performance				Reaction to fire
			λ	μ min – max	ρ	С	EN
Α		Plastic roofing membrane or					E
Α		sheet metal roofing			7800		A1
В	24.0	spruce wood closed cladding without spacing of cladding boards	0.120	50	450	1.600	D
С	80.0	spruce wood counter battens (ventilation)	0.120	50	450	1.600	D
D		sarking membrane sd ≤ 0,3m			1000		Е
D	15.0	fibreboard (MDF)	0.140	11	600	1.700	D
E	220.0	construction timber (80/*; e=800)	0.120	50	450	1.600	D
F	220.0	mineral wool [040; ≥16; <1000°C]	0.040	1	16	1.030	A1
G		vapour barrier sd≥ 1 m			1000		
Н	50.0	spruce wood cross battens (50/80;a=400)	0.120	50	450	1.600	D
I	50.0	mineral wool [040; \geq 16; $<$ 1000°C] or without insulation in type 01	0.040	1	16	1.030	A1
J	25.0	gypsum fibre board (2x12,5 mm) or	0.320	21	1000	1.100	A2
J	25.0	gypsum plaster board type DF (2x12,5 mm)	0.250	10	800	1.050	A2

Sustainability rating (per m²)

Database ecoinvent						
Ol3 _{Kon}	40.0					
Calculated by HFA						



Designation: fdrhbi08b-02 Last updated:

8/2/23 Holzforschung Austria Source:

Editor: HFA, SP

Details of sustainability rating

Database ecoinvent

Lifecycle	GWP	AP	EP	ODP	POCP	
(Phases)	[kg CO ₂ -e.]	[kg SO ₂ -e.]	[kg PO ₄ -e.]	[kg R11-e.]	[kg Ethen-e.]	
A1 - A3		0.180	0.084	2,90E-6	0.032	
Lifecycle	PERE	PERM	PERT	PENRE	PENRM	PENRT
(Phases)	[MJ]	[MJ]	[MJ]	[MJ]	[MJ]	[MJ]
A1 - A3	110.324	654.854	765.178	588.564	29.762	618.327