

Designation: gdrnxa07b-08 Last updated: 8/2/23

Source: Holzforschung Austria

Editor: HFA, SP

Intermediate floor - gdrnxa07b-08

intermediate floor, timber frame construction, suspended, wet, with filling, other surface


Performance rating

Fire protection REI 60 performance maximum span = 5 m; maximum load $E_{d,fi}$ = 3,66 kN/m² (without floor construction; with ceiling beam 80/200)

Classified by IBS Classified by HFA

Thermal performance	U Diffusion	0.27 W/(m ² K) suitable
Calculated by HFA		
Acoustic performance	R _w (C;C _{tr}) L _{n,w} (C _l)	67(-1;-6) dB 48(1)
Assessed by TGM		
Mass per unit area	m	232.20 kg/m ²

Calculation based on gypsum plaster board type DF



Register of building materials used for this application, cross-section (from outside to inside, dimensions in mm)

	Thickness	cness Building material Thermal performance					Reaction to fire	
			λ	μ min – max	ρ	С	EN	
Α	50.0	cement screed or anhydrite screed	1.330	50 - 100	2000	1.080	A1	
В		plastic separation layer	0.200	100000	1400	1.400	Е	
С	30.0	impact sound absorbing subflooring MW-T [s' = 10 MN/m³]	0.035	1	68	1.030	A1	
D	40.0	fill loose	0.700	1	1800	1.000	A1	
Е		trickling protection					E	
F	18.0	OSB	0.130	200	600	1.700	D	
G	220.0	construction timber (80/; e=400)	0.120	50	450	1.600	D	
Н	100.0	mineral wool [040; ≥16; <1000°C]	0.040	1	16	1.030	A1	
I		spruce wood cladding with spacing of cladding boards(24/100); a=400	0.120	50	450	1.600	D	
J	27.0	resilient channel placed between cladding with spacing	0.156					
K	25.0	gypsum plaster board type DF (2x) or	0.250	10	800	1.050	A2	
K	25.0	gypsum fibre board (2x)	0.320	21	1000	1.100	A2	

Sustainability rating (per m²)

Database ecoinvent

OI3_{Kon} 41.4

Calculated by HFA



gdrnxa07b-08 Designation: 8/2/23 Holzforschung Austria Last updated:

Source:

Editor: HFA, SP

Details of sustainability rating

Database ecoinvent

Lifecycle	GWP	AP	EP	ODP	POCP	
(Phases)	[kg CO ₂ -e.]	[kg SO ₂ -e.]	[kg PO ₄ -e.]	[kg R11-e.]	[kg Ethen-e.]	
A1 - A3		0.171	0.082	3,07E-6	0.032	
Lifecycle	PERE	PERM	PERT	PENRE	PENRM	PENRT
(Phases)	[MJ]	[MJ]	[MJ]	[MJ]	[MJ]	[MJ]
A1 - A3	133.238	585.266	718.505	609.283	20.654	629.937