

Designation: sdrhzi02a-01 Last updated: 8/2/23

Source: Holzforschung Austria

Editor: HFA, SP

Pitched roof - sdrhzi02a-01

pitched roof, timber frame construction, ventilated, with dry lining, not suspended, other surface


Performance rating


Thermal performance	U Diffusion	0.19 W/(m ² K) suitable
Calculated by HFA		
Acoustic performance	R _w (C;C _{tr}) L _{n,w} (C _l)	50(-2;-8) dB

with a tiled roof Rw = 49 dB Assessed by TGM

Mass per unit area	m	39.70 kg/m ²
--------------------	---	-------------------------

Calculation based on gypsum plaster board type DF





Note: The design of the under-roof construction and of the counterbattens have to be specified according to the roof pitch and the national requirements.

Register of building materials used for this application, cross-section (from outside to inside, dimensions in mm)

	Thickness	Building material	Thermal per	formance			Reaction to fire
			λ	μ min – max	ρ	С	EN
Α		concrete roof tile or tiled roof			2100		A1
В	30.0	spruce wood battens (30/50)	0.120	50	450	1.600	D
С	50.0	spruce wood counter battens (minimum height 50 mm)	0.120	50	450	1.600	D
D		sarking membrane sd ≤ 0,3 m			1000		Е
Е	24.0	spruce wood closed cladding without spacing of cladding boards	0.120	50	450	1.600	D
F	220.0	construction timber (80/; e=800)	0.120	50	450	1.600	D
G	220.0	mineral wool [040; ≥16; <1000°C]	0.040	1	16	1.030	A1
Н		vapour barrier sd≥ 6m			1000		
I	24.0	spruce wood cladding with spacing of cladding boards(24/100); $a=400$	0.120	50	450	1.600	D
J	12.5	gypsum plaster board type DF or	0.250	10	800	1.050	A2
J	12.5	gypsum fibre board	0.320	21	1000	1.100	A2

Sustainability rating (per m²)

Database ecoinvent

OI3_{Kon} 24.4

Calculated by HFA



Designation: sdrhzi02a-01 Last updated:

8/2/23 Holzforschung Austria Source:

Editor: HFA, SP

Details of sustainability rating

Database ecoinvent

Lifecycle	GWP	AP	EP	ODP	POCP	
(Phases)	[kg CO ₂ -e.]	[kg SO ₂ -e.]	[kg PO ₄ -e.]	[kg R11-e.]	[kg Ethen-e.]	
A1 - A3		0.111	0.052	2,57E-6	0.023	
Lifecycle	PERE	PERM	PERT	PENRE	PENRM	PENRT
(Phases)	[MJ]	[MJ]	[MJ]	[MJ]	[MJ]	[MJ]
A1 - A3	93.580	508.946	602.526	392.576	10.862	403.438