

Designation: sdrhzi04a-00 Last updated: 8/2/23

Source: Holzforschung Austria

Editor: HFA, SP

Pitched roof - sdrhzi04a-00

pitched roof, timber frame construction, ventilated, with dry lining, not suspended, other surface

Performance rating

Fire protection REI 30 performance


maximum span = 5 m; maximum load $E_{\rm d,fi}$ = 2,62 kN/m² (rafter 60/200 without roofing, counter battens and battens)

Classified by IBS

Classified by HFA

Thermal performance	U Diffusion	0.19 W/(m ² K) suitable
Calculated by HFA		
Acoustic performance	R _w (C;C _{tr}) L _{n,w} (C _I)	53(-2;-8) dB
with a tiled roof Rw = 51 Assessed by TGM	(-2; -8) dB	
Mass per unit area	m	41.10 kg/m ²

Calculation based on gypsum plaster board type DF



Note: The design of the under-roof construction and of the counterbattens have to be specified according to the roof pitch and the national requirements.

Register of building materials used for this application, cross-section (from outside to inside, dimensions in mm)

	Thickness	Building material	Thermal performance				Reaction to fire	
			λ	μ min – max	ρ	С	EN	
Α		concrete roof tile or tiled roof			2100		A1	
В	30.0	spruce wood battens (30/50)	0.120	50	450	1.600	D	
С	50.0	spruce wood counter battens (Austria: minimum height 50 mm), Germany 30 mm	0.120	50	450	1.600	D	
D	22.0	softboard [045; 250] - rigid underlay	0.045	5	250	2.100	E	
E	200.0	construction timber (80/; e=625)	0.120	50	450	1.600	D	
F	200.0	mineral wool [040; ≥16; <1000°C]	0.040	1	16	1.030	A1	
G	15.0	OSB (sealed with airtight tape)	0.130	200	600	1.700	D	
Н	24.0	spruce wood cladding with spacing of cladding boards(24/100); a=400	0.120	50	450	1.600	D	
ı	12.5	gypsum plaster board type DF or	0.250	10	800	1.050	A2	
ı	12.5	gypsum fibre board	0.320	21	1000	1.100	A2	

Sustainability rating (per m²)

Database ecoinvent

OI3_{Kon} 29.0

Calculated by HFA



Designation: sdrhzi04a-00 8/2/23 Holzforschung Austria Last updated:

Source:

HFA, SP Editor:

Details of sustainability rating

Database ecoinvent

Lifecycle	GWP	AP	EP	ODP	POCP	
(Phases)	[kg CO ₂ -e.]	[kg SO ₂ -e.]	[kg PO ₄ -e.]	[kg R11-e.]	[kg Ethen-e.]	
A1 - A3		0.124	0.056	2,89E-6	0.023	
Lifecycle	PERE	PERM	PERT	PENRE	PENRM	PENRT
(Phases)	[MJ]	[MJ]	[MJ]	[MJ]	[MJ]	[MJ]
A1 - A3	96.349	522.922	619.271	458.552	19.362	477.913