dataholz.eu


Designation: Last updated: Source: Editor: fdrhbi08a-07 8/2/23 Holzforschung Austria HFA, SP

Flat roof - fdrhbi08a-07

flat roof, timber frame construction, ventilated, with dry lining, not suspended, other surface

Performance rating

| Fire protection performance | REI | 30 |
|---|---|---------------------------------------|
| maximum span = 5 m; ma Classified by HFA | ximum load E _{d,fi} = 3,66 kN/ | ∕m² |
| Thermal performance | U Diffusion | 0.20 W∕(m ² K) suitable |
| Calculated by HFA | | |
| Acoustic performance | R _w (C;C _{tr}) L _{n,w} (C _l) | 49(-4;-9) dB |
| Assessed by TGM | | |
| Mass per unit area | m | 37.60 kg∕m² |
| Calculation based on GF | | |



Note: The design of the under-roof construction and of the counterbattens have to be specified according to the roof pitch and the national requirements.

Register of building materials used for this application, cross-section (from outside to inside, dimensions in mm)

| Thicknes | Building material | Thermal per | formance | | | Reaction to fire |
|----------|--|-------------|-------------|------|-------|------------------|
| | | λ | µ min – max | ρ | с | EN |
| | Plastic roofing membrane or | | | | | E |
| | sheet metal roofing | | | 7800 | | A1 |
| 24. | 0 spruce wood closed cladding without spacing of cladding boards | 0.120 | 50 | 450 | 1.600 | D |
| 80. | 0 spruce wood counter battens (ventilation) | 0.120 | 50 | 450 | 1.600 | D |
| | sarking membrane sd \leq 0,3m | | | 1000 | | E |
| 15. | 0 fibreboard (MDF) | 0.140 | 11 | 600 | 1.700 | D |
| 200 | 0 construction timber (80∕*; e=800) | 0.120 | 50 | 450 | 1.600 | D |
| 200 | 0 sheep wool [0,041; R=26] | 0.041 | 1 | 30 | 1.720 | E |
| | vapour barrier sd≥ 1 m | | | 1000 | | |
| 50. | 0 spruce wood cross battens (50/80;a=400) | 0.120 | 50 | 450 | 1.600 | D |
| 50 | sheep wool [0,041; R=26] or without insulation in type 01 | 0.041 | 1 | 30 | 1.720 | E |
| 12. | 5 gypsum fibre board or | 0.320 | 21 | 1000 | 1.100 | A2 |
| 12. | 5 gypsum plaster board type DF | 0.250 | 10 | 800 | 1.050 | A2 |

Sustainability rating (per m²)

Database ecoinvent

OI3_{Kon}

29.1

Calculated by HFA

dataholz.eu – Catalogue of timber building materials, components and component connections reviewed to consider thermal, acoustic, fire performance requirements and ecological drivers for timber construction released by accredited testing institutes. These datasheets will generally be accepted as proofs of compliance by building authorities.

dataholz.eu

Designation: Last updated: Source: Editor: fdrhbi08a-07 8/2/23 Holzforschung Austria HFA, SP

Details of sustainability rating

Database ecoinvent

| Lifecycle | GWP | AP | EP | ODP | POCP | |
|-----------|--------------------------|--------------------------|--------------------------|-------------|---------------|-------|
| (Phases) | [kg CO ₂ -e.] | [kg SO ₂ -e.] | [kg PO ₄ -e.] | [kg R11-e.] | [kg Ethen-e.] | |
| A1 - A3 | | 0.134 | 0.062 | 2,36E-6 | 0.029 | |
| | | | | | | |
| Lifecycle | PERE | PERM | PERT | PENRE | PENRM | PENRT |
| 2 | | | | | | |
| (Phases) | [LM] | [MJ] | [M] | [MJ] | [MJ] | [MJ] |

dataholz.eu – Catalogue of timber building materials, components and component connections reviewed to consider thermal, acoustic, fire performance requirements and ecological drivers for timber construction released by accredited testing institutes. These datasheets will generally be accepted as proofs of compliance by building authorities.