

Designation: sdrhzi01b-06 Last updated: 8/2/23

Source: Holzforschung Austria

Editor: HFA, SP

Pitched roof - sdrhzi01b-06


pitched roof, timber frame construction, ventilated, with dry lining, not suspended, other surface

Performance rating

Fire protection

with a tiled roof Rw = 49 (-6; -11) dBAssessed by TGM

Calculation based on gypsum plaster board type DF



Note: The design of the under-roof construction and of the counterbattens have to be specified according to the roof pitch and the national requirements.

Register of building materials used for this application, cross-section (from outside to inside, dimensions in mm)

	Thickness	Building material	Thermal performance				Reaction to fire	
			λ	μ min – max	ρ	С	EN	
Α		concrete roof tile or tiled roof			2100		A1	
В	30.0	spruce wood battens (30/50)	0.120	50	450	1.600	D	
С	50.0	spruce wood counter battens (minimum height 50 mm)	0.120	50	450	1.600	D	
D	22.0	softboard [045; 250] - rigid underlay	0.045	5	250	2.100	Е	
Е	200.0	construction timber (80/; e=800)	0.120	50	450	1.600	D	
F	200.0	sheep wool [0,041; R=26]	0.041	1	30	1.720	Е	
G		vapour barrier sd≥ 1 m			1000			
Н	24.0	spruce wood cladding with spacing of cladding boards(24/100); a=400	0.120	50	450	1.600	D	
1	25.0	gypsum plaster board type DF (2x12,5 mm) or	0.250	10	800	1.050	A2	
1	25.0	gypsum fibre board (2x12,5 mm)	0.320	21	1000	1.100	A2	

Sustainability rating (per m²)

Database ecoinvent	
OI3 _{Kon}	22.4

Calculated by HFA



Designation: sdrhzi01b-06 Last updated:

8/2/23 Holzforschung Austria Source:

HFA, SP Editor:

Details of sustainability rating

Database ecoinvent

Lifecycle	GWP	AP	EP	ODP	POCP	
(Phases)	[kg CO ₂ -e.]	[kg SO ₂ -e.]	[kg PO ₄ -e.]	[kg R11-e.]	[kg Ethen-e.]	
A1 - A3		0.083	0.038	2,72E-6	0.018	
Lifecycle	PERE	PERM	PERT	PENRE	PENRM	PENRT
(Phases)	[MJ]	[MJ]	[MJ]	[MJ]	[MJ]	[MJ]