



Pitched roof - sdrhzi08b-05

pitched roof, timber frame construction, ventilated, with dry lining, not suspended, other surface

Performance rating

Fire protection performance	REI	60
maximum span = 5 m; maximum load $E_{d,fi} = 3,66 \text{ kN/m}^2$ Classified by HFA		
Thermal performance	U Diffusion	0.18 $\text{W}/(\text{m}^2\text{K})$ suitable
Calculated by HFA		
Acoustic performance	$R_w (C;C_{tr})$ $L_{n,w} (C_i)$	53(-2;-8) dB
with a tiled roof $R_w = 51 (-2; -8) \text{ dB}$ Assessed by TGM		
Mass per unit area	m	51.40 kg/m^2
Calculation based on gypsum plaster board type DF		



Note: The design of the under-roof construction and of the counter-battens have to be specified according to the roof pitch and the national requirements.

Register of building materials used for this application, cross-section (from outside to inside, dimensions in mm)

Thickness	Building material	Thermal performance				Reaction to fire EN
		λ	$\mu \text{ min - max}$	ρ	c	
A	concrete roof tile or tiled roof			2100		A1
B	30.0 spruce wood battens (30/50)	0.120	50	450	1.600	D
C	50.0 spruce wood counter battens (minimum height 50 mm)	0.120	50	450	1.600	D
D	15.0 fibreboard (MDF)	0.140	11	600	1.700	D
E	200.0 construction timber (80/.; e=800)	0.120	50	450	1.600	D
F	200.0 mineral wool [038; ≥ 33 ; $\geq 1000^\circ\text{C}$]	0.038	1	33	1.030	A1
G	vapour barrier $s_d \geq 1 \text{ m}$			1000		
H	50.0 spruce wood cross battens (50/80;a=400)	0.120	50	450	1.600	D
I	50.0 mineral wool [038; ≥ 33 ; $\geq 1000^\circ\text{C}$]	0.038	1	33	1.030	A1
J	25.0 gypsum plaster board type DF (2x12,5 mm) or	0.250	10	800	1.050	A2
J	25.0 gypsum fibre board (2x12,5 mm)	0.320	21	1000	1.100	A2

Sustainability rating (per m^2)

Database ecoinvent

$OI3_{kon}$ 40.2

Calculated by HFA

Details of sustainability rating

Database ecoinvent

Lifecycle (Phases)	GWP [kg CO ₂ -e.]	AP [kg SO ₂ -e.]	EP [kg PO ₄ -e.]	ODP [kg R11-e.]	POCP [kg Ethen-e.]	
A1 - A3		0.175	0.058	2,48E-6	0.061	

Lifecycle (Phases)	PERE [MJ]	PERM [MJ]	PERT [MJ]	PENRE [MJ]	PENRM [MJ]	PENRT [MJ]
A1 - A3	80.283	475.925	556.208	500.624	46.624	547.248